	1		-	7		r
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	97	713/192.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L5	1060	713/193.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:47
L14	373	713/194.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L15	635	380/201.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L16	140	380/217.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:47
L17	6399	(package or circuit or chip or module or board or IC) with key\$3 with (overwritten or erasabl\$3 or nonerasabl\$3 or nonremov\$4 or remov\$4 or permanent\$3 or unerasabl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:46
L18	2566	L17 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:57
L19	209	L18 and encrypt\$3 and (digital with (content or movie or data or video))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:57

						•
L20	27	L19 and (L4 or L5 or L14 or L15 or L16)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:58
L21	4641193	(fuse with DRAM manufactur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/06 14:57
L22	2164	L17 and L21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:57
L23	984	L22 and @ad<"20020823" ,	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:57
L24	134	L23 and encrypt\$3 and (digital with (content or movie or data or video)) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:57
L25	27	L20 and (L4 or L5 or L14 or L15 or L16)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:58
L26	15	L24 and (L4 or L5 or L14 or L15 or L16)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:24
L27	12	L20 not L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:40

L28	182	L19 not (L26 or L20)	US-PGPUB; USPAT;	OR	ON	2007/08/06 15:41
			USOCR;			
	İ		EPO; JPO;			
			DERWENT;			
			IBM_TDB			

8/6/07 4:53:19 PM C:\Documents and Settings\etran\My Documents\EAST\Workspaces\10647064.wsp

		EAST Search				
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	410	(permanent or ((cannot or impossible) near4 (overwritten or replac\$4 or chang\$3 or modif\$3 or alter\$3 or eras\$3 or erasabl\$3))) with key with (package or circuit or IC or board or chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 16:57
L2	183	L1 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 16:58
L3	43	L2 and (encrypt\$3 near4 key\$3) and (digital with (content or data or movie or video))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:12
L4	3	L3 and fus\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:40
L5	10	"5452355" and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:40
L6	0	L5 and fus\$4 and encrypt\$3 and key\$3 and (settop or (set near3 top) or DVI or DVR or (cable near3 (box or module or device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:42
L7	2	L5 and fus\$4 and encrypt\$3 and key\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:42
L8	12	fus\$4 with key with encrypt\$3 with (circuit or package or module or IC or board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:43

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040078584"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L2	4	"20020150248" "20020164022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L3	2	("6934389").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10
L4	97	713/192.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L5	1060	713/193.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L6	42028	(second or two or "next" or subsequent\$3 or another or follow\$3) with (device or IC or microprocessor or smartcard or settop or (set with top) or interchip or (smart near2 card) or (integrat\$3 near3 chip) or micro or EEPROM or EPROM or RAM) with key\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L7	4	(("6236727") or ("6289455")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10

		•				
L8	135	(DVD and copying and illegal).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L9	10	L8 and ("1394" and interface).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L10	18	("content scrambling system").ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L11	2	L10 and (decryption and copyrighted). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L12	62	"6236727" "6256391"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L13	4	(("6236727") or ("6256391")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10
L14	373	713/194.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L15	635	380/201.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

	1		1	·	1	
L16	140	380/217.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L17	2014	(L5 or L4 or L14 or L15 or L16)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L18	52917	(encrypt\$3 or cipher\$3) with (engine or processor or computer or device or module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L19	134	(digital with content) and "1394" and (((overwrit\$3 or rewritten or rewrote or delet\$3 or reuse) with (protect\$3 or guard\$3 or tamper\$3)) or (tamper with proof) with key\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/06 14:10
L20	28325	(first or initial or primary) with (device or IC or microprocessor or smartcard or settop or (set with top) or interchip or (smart near2 card) or (integrat\$3 near3 chip) or micro or EEPROM or EPROM or RAM) with key\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L21	5169	L20 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L22	15	L21 and L6 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L23	88	"6236727" "6289455"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

			_	·		
L24	62	(L23 or L12) and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L25	21	L24 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L26	27	"6289455" and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L27	23	L26 and (digital and content and key\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L28	276	(settop or (set near2 top)) with key\$3 with (decrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L29	7	L22 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L30	34	L28 and "1394"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L31	14	L30 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

8/6/07 2:32:47 PM C:\Documents and Settings\etran\My Documents\EAST\Workspaces\10647064.wsp Page 4

L32	470	(settop or (set near2 top) or DVR) with (key\$3 or CW) with (decrypt\$3 or encrypt\$3 or descrambl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L33	63	L32 and "1394"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L34	26	L33 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L35	16	interchip and (digital with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L36	310	(settop or (set near2 top) or DVR) with (key\$3 or CW) with (decrypt\$3 or encrypt\$3 or descrambl\$3 or decod\$3 or decipher\$3) and (digital with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L37	113	L36 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L38	386	(interchip or ((inner or inside or board) with (circuit or IC or microprocessor or smartcard or chip or micro or EEPROM or PROM or EPROM or RAM))) and (digital with content with (protect\$3 or guard\$3 or prevent\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L39	146	L38 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

L40	22	L39 and "1394"	US-PGPUB; USPAT;	OR	ON	2007/08/06 14:10
		·	USOCR; EPO; JPO; DERWENT; IBM_TDB			
L41	11	("6256391").URPN.	USPAT	OR	ON	2007/08/06 14:10
L42	2	"6782477"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L43	12	(("5134700") or ("4864615") or ("4933898") or ("6532593") or ("6959089") or ("6961427")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10
L44	6	(("7062658") or ("6782477") or ("6697489")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10
L45	2	"20030051151"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L46	8	(L45 or L44)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L47	2	("6697489").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/08/06 14:10
L48	2	"20030188162"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

			-			
L49	2	L48 and (((lock\$3 or program\$5 or fuse or fus\$4) with (((set near4 top) or settop or "set-top" or DVR) or (smart near2 card) or headend or smartcard or PROM or EPROM or EEPROM) or harddrive or drive or disk or RAM or circuit or descrabler or IC))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L50	1299	((fusable near4 link\$3) or ((PROM or fuse) with program\$5)) and (EMM or CW or (set near2 top) or "set-top" or settop or VDR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L51	1015	L50 and ((set near4 top) or settop or "set-top" or DVR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L52	476	L51 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L53	122	L52 and (fuse or fusable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L54	5	L53 and (digital near4 content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L55	2	"20030051151"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L56	3	(fusable near4 link\$3) and (EMM or CW or (set near2 top) or "set-top" or settop or VDR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

			T	I	I	
L57	6	(("7062658") or ("6782477") or ("6697489")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10
L58	8	(L55 or L57)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L59	0	L58 and fus\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L60	11	L53 and (cable with television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L61	2	L48 and (((lock\$3 or program\$5 or fuse or fus\$4) with (((set near4 top) or settop or "set-top" or DVR) or (smart near2 card) or headend or smartcard or PROM or EPROM or EEPROM)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L62	2	(L48 or L47) and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L63	2	(L48 or L47) and (one with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L64	2	(L48 or L47) and (bit or byte)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10



Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Sitemap | Help

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((cable and key and protection)<in>metadata)) <and> (pyr >= 1950 <and> pyr <..."
Your search matched 20 of 1625854 documents.

e-mail aprinter friendly

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

IEEE JNL IEE

IEEE Journal or

Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IET CNF

IEEE Conference Proceeding

IET Conference

Proceeding

IEEE STD IEEE Standard

Modify Search

(((cable and key and protection)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 20 | Search

Check to search only within this results set

Display Format:
© Citation C Citation & Abstract

view selected items | Select All | Deselect All

1. Choice of cable for subsea power links

Jeffs, M.D.;

Power Engineering Society Winter Meeting, 2000. IEEE

Volume 1, 23-27 Jan. 2000 Page(s):571 vol.1

Digital Object Identifier 10.1109/PESW.2000.850032

AbstractPlus | Full Text: PDF(56 KB) | IEEE CNF

Rights and Permissions

2. A key transport protocol based on secret sharing applications to information security

Eskicioglu, A.M.; Delp, E.J.;

Consumer Electronics, IEEE Transactions on

Volume 48, Issue 4, Nov 2002 Page(s):816 - 824

Digital Object Identifier 10.1109/TCE.2003.1196407

AbstractPlus | Full Text: PDF(677 KB) | IEEE JNL

Rights and Permissions

3. Cable design for subsea power links

Attwood, J.R.;

Power Engineering Review, IEEE

Volume 20, Issue 9, Sep 2000 Page(s):13 - 14, 21

Digital Object Identifier 10.1109/39.866861

AbstractPlus | Full Text: PDF(240 KB) | IEEE JNL

Rights and Permissions

4. Global standardization efforts of BWA systems based on cable modem

Arunachalam, A.;

Emerging Technologies Symposium: Broadband, Wireless Internet Access, 2000 IEEE

10-11 April 2000 Page(s):4 pp.

Digital Object Identifier 10.1109/ETS.2000.916510

AbstractPlus | Full Text: PDF(236 KB) | IEEE CNF

Rights and Permissions

5. The evolution of service protection in the BT network

Davidson, J.; Hawker, I.; Cochrane, P.;

Global Telecommunications Conference, 1989, and Exhibition. 'Communications Technology for

the 1990s and Beyond', GLOBECOM '89, IEEE

27-30 Nov. 1989 Page(s):835 - 839 vol.2

Digital Object Identifier 10.1109/GLOCOM.1989.64080

AbstractPlus | Full Text: PDF(332 KB) IEEE CNF

Rights and Permissions

П	6. New Data Bus Interface Technique Kyong H. Lee; Maschhoff, R.H.; Aerospace and Electronic Systems, IEEE Transactions on Volume AES-21, Issue 3, May 1985 Page(s):379 - 384 Digital Object Identifier 10.1109/TAES.1985.310568 AbstractPlus Full Text: PDF(1665 KB) IEEE JNL Rights and Permissions
Π	7. Lightning currents coupling to metal tubes Grcev, L.; Arnautovski, V.; Telecommunications Energy Conference, 1993. INTELEC '93. 15th International Volume 2, 27-30 Sept. 1993 Page(s):187 - 192 vol.2 AbstractPlus Full Text: PDF(364 KB) IEEE CNF Rights and Permissions
L	8. On the numerical studies of quench in cable-in-conduit conductors Bottura, L.; Shajii, A.; Applied Superconductivity, IEEE Transactions on Volume 5, Issue 2, Part 1, Jun 1995 Page(s):495 - 498 Digital Object Identifier 10.1109/77.402574 AbstractPlus Full Text: PDF(292 KB) IEEE JNL Rights and Permissions
Г	 Design methods and actual performances of conductors for the superconducting coils of tokamaks Turck, B.; Bessette, D.; Ciazynski, D.; Duchateau, J.L.; <u>Fusion Engineering, 1993., 15th IEEE/NPSS Symposium on</u> Volume 2, 11-15 Oct. 1993 Page(s):667 - 670 vol.2 Digital Object Identifier 10.1109/FUSION.1993.518417 <u>AbstractPlus</u> Full Text: <u>PDF</u>(360 KB) IEEE CNF <u>Rights and Permissions</u>
	10. Estimates of lightning-induced voltage stresses within buried shielded conduits Tesche, F.M.; Kalin, A.W.; Brandli, B.; Reusser, B.; Ianoz, M.; Tabara, D.; Zweiacker, P.; Electromagnetic Compatibility, IEEE Transactions on Volume 40, Issue 4, Part 2, Nov. 1998 Page(s):492 - 504 Digital Object Identifier 10.1109/15.736209 AbstractPlus References Full Text: PDF(772 KB) IEEE JNL Rights and Permissions
Γ	11. Magnet system design with cost optimization Prestemon, S.; Miller, J.; Eyssa, Y.; Green, M.; Applied Superconductivity, IEEE Transactions on Volume 10, Issue 1, March 2000 Page(s):1356 - 1359 Digital Object Identifier 10.1109/77.828489 AbstractPlus Full Text: PDF(200 KB) IEEE JNL Rights and Permissions
L	12. Failure of the London Underground's 22 kV power supply system: An exercise in logic and transport management Allan, J.; Mellitt, B.; Field, C.; Electric Power Applications, IEE Proceedings- Volume 147, Issue 4, July 2000 Page(s):273 - 280 Digital Object Identifier 10.1049/ip-epa:20000518 AbstractPlus Full Text: PDF(844 KB) IET JNL
	13. Detection of resistive transitions in LHC superconducting components Denz, R.; Rodriguez-Mateos, F.; Particle Accelerator Conference, 2001. PAC 2001. Proceedings of the 2001 Volume 5, 18-22 June 2001 Page(s):3445 - 3447 vol.5 Digital Object Identifier 10.1109/PAC.2001.988139 AbstractPlus Full Text: PDF(245 KB) IEEE CNF

	14. Transient effects during 120 VDC spacecraft high voltage DC fuse clearing Keys, D.J.; Ho, R.; Scolese, C.J.; Wingard, R.B.; Tasca, D.M.; Bortulin, M.J.; Ferrara, A.A.; Longcoy, D.F.; Energy Conversion Engineering Conference, 1997. IECEC-97. Proceedings of the 32nd Intersociety Volume 1, 27 July-1 Aug. 1997 Page(s):364 - 369 vol.1 Digital Object Identifier 10.1109/IECEC.1997.659215
	AbstractPlus Full Text: PDF(568 KB) IEEE CNF Rights and Permissions
П	15. Single loss of phase tests at 33 kV on operating windfarms Nicholson, G.D.; Embedded Generation on Distribution Networks (Digest No. 1996/194), IEE Colloquium on the Impact of 15 Oct. 1996 Page(s):7/1 - 7/8 AbstractPlus Full Text: PDF(424 KB) IET CNF
П	16. Resilience for IP-over-DWDM backbone networks Veitch, P.;
	Electronics & Communication Engineering Journal Volume 14, Issue 1, Feb. 2002 Page(s):39 - 48
	AbstractPlus Full Text: PDF(935 KB) IET JNL
П	17. Practical case study of remote and local powering system for hybrid fibre-coaxial (HFC) networks Alvarez, E.; Ruiz, F.M.; Corral, J.; Manso, J.; Bustos, D.; Martin, F.; Fornis, A.; Telecommunications Energy Conference, 2001. INTELEC 2001. Twenty-Third International 14-18 Oct. 2001 Page(s):294 - 300
	AbstractPlus Full Text: PDF(947 KB) IEEE CNF Rights and Permissions
	18. Power system architecture's for the emerging information highway
	Cividino, L.; <u>Telecommunications Energy Conference, 1994, INTELEC '94., 16th International</u>
	30 Oct3 Nov. 1994 Page(s):90 - 97 Digital Object Identifier 10.1109/INTLEC.1994.396606
	AbstractPlus Full Text: PDF(424 KB) IEEE CNF
	Rights and Permissions
<u> </u>	19. Practical case study of remote and local powering system for hybrid fibre-coaxial (HFC) networks Alvarez, E.; Ruiz, F.M.; Corral, J.; Manso, J.; Bustos, D.; Martin, F.; Fornis, A.; Telecommunications Energy Conference, 2001, INTELEC 2001, Twenty-Third International 14-18 Oct. 2001 Page(s):294 - 300
	AbstractPlus Full Text: PDF(947 KB) IET CNF
П	20. Power-frequency magnetic shielding of heavy-current conductors by rectangular shields Du, Y.; Burnett, J.; Generation, Transmission and Distribution, IEE Proceedings-
	Volume 146, <u>Issue 3</u> , May 1999 Page(s):223 - 228 Digital Object Identifier 10.1049/ip-gtd:19990361
	AbstractPlus Full Text: PDF(376 KB) IET JNL

indeped by ធ្វី Inspec° Help Contact Us Privacy & Security IEEE.org

© Copyright 2006 IEEE – All Rights Reserved



Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Sitemap | Help

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((digital and content and key and protection)<in>metadata)) <and> (pyr >= 1950 <a..."

Your search matched 12 of 1625854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

IEEE JNL IEEE Journal or

Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IET CNF IET Conference

Proceeding

IEEE STD IEEE Standard

Modify Search

(((digital and content and key and protection)<in>metadata)) <and> (pyr >= 1950 <an | \$

Check to search only within this results set

view selected items | Select All Deselect All

1. A key transport protocol based on secret sharing applications to information security

Eskicioglu, A.M.; Delp, E.J.;

Consumer Electronics, IEEE Transactions on

Volume 48, Issue 4, Nov 2002 Page(s):816 - 824 Digital Object Identifier 10.1109/TCE.2003.1196407

AbstractPlus | Full Text: PDF(677 KB) | IEEE JNL

Rights and Permissions

Content protection and usage control for digital music

Changsheng Xu; Yongwei Zhu; Feng, D.D.;

Web Delivering of Music, 2001. Proceedings, First International Conference on

23-24 Nov. 2001 Page(s):43 - 50

AbstractPlus | Full Text: PDF(279 KB) | IEEE CNF |

Rights and Permissions

3. Rights protection for digital contents redistribution over the Internet

Cheung, S.C.; Curreem, H.;

Computer Software and Applications Conference, 2002. COMPSAC 2002. Proceedings. 26th

Annual International

26-29 Aug. 2002 Page(s):105 - 110

Digital Object Identifier 10.1109/CMPSAC.2002.1044539

AbstractPlus | Full Text: PDF(434 KB) | IEEE CNF

Rights and Permissions

4. Digital rights management and watermarking of multimedia content for m-commerce applications

Hartung, F.; Ramme, F.;

Communications Magazine, IEEE

Volume 38, Issue 11, Nov. 2000 Page(s):78 - 84

Digital Object Identifier 10.1109/35.883493

AbstractPlus | References | Full Text: PDF(96 KB) | IEEE JNL

Rights and Permissions

5. k-time encryption for k-time licensing

Perkins, G.; Bhattacharya, P.;

Multimedia and Expo, 2002, ICME '02. Proceedings. 2002 IEEE International Conference on

Volume 1, 26-29 Aug. 2002 Page(s):601 - 604 vol.1

Digital Object Identifier 10.1109/ICME.2002.1035853

AbstractPlus | Full Text: PDF(442 KB) IEEE CNF

Rights and Permissions

П	6.	Wavelet packet and adaptive spatial transformation of watermark for digital image authentication Min-Jen Tsai; Kuang-Yao Yu; Yi-Zhang Chen; Image Processing, 2000. Proceedings. 2000 International Conference on Volume 1, 10-13 Sept. 2000 Page(s):450 - 453 vol.1 Digital Object Identifier 10.1109/ICIP.2000.900992 AbstractPlus Full Text: PDF(396 KB) IEEE CNF Rights and Permissions
П	7.	A buyer-seller watermarking protocol Memon, N.; Ping Wah Wong; Multimedia Signal Processing, 1998 IEEE Second Workshop on 7-9 Dec. 1998 Page(s):291 - 296 Digital Object Identifier 10.1109/MMSP.1998.738949 AbstractPlus Full Text: PDF(328 KB) IEEE CNF Rights and Permissions
□	8.	Toward secure public-key blockwise fragile authentication watermarking Barreto, P.S.L.M.; Kim, H.Y.; Rijmen, V.; Vision, Image and Signal Processing, IEE Proceedings- Volume 149, Issue 2, April 2002 Page(s):57 - 62 AbstractPlus Full Text: PDF(504 KB) IET JNL
Γί	9.	An optical watermarking solution for authenticating printed documents Sun, Q.B.; Feng, P.R.; Deng, R.; Information Technology: Coding and Computing, 2001. Proceedings. International Conference on 2-4 April 2001 Page(s):65 - 70 Digital Object Identifier 10.1109/ITCC.2001.918767 AbstractPlus Full Text: PDF(488 KB) IEEE CNF Rights and Permissions
	10	Barreto, P.S.L.M.; Hae Yong Kim; Rijmen, V.; Image Processing, 2001. Proceedings. 2001 International Conference on Volume 2, 7-10 Oct. 2001 Page(s):494 - 497 vol.2 Digital Object Identifier 10.1109/ICIP.2001.958536 AbstractPlus Full Text: PDF(448 KB) IEEE CNF Rights and Permissions
L 4	11	A new watermarking method of digital audio content for copyright protection Ye Wang; Signal Processing Proceedings, 1998. ICSP '98. 1998 Fourth International Conference on Volume 2, 12-16 Oct. 1998 Page(s):1420 - 1423 vol.2 Digital Object Identifier 10.1109/ICOSP.1998.770887 AbstractPlus Full Text: PDF(272 KB) IEEE CNF Rights and Permissions
	12	2. Watermark embedded DCT indexing keys for portable imaging devices Armstrong, A.; Jiang, J.; Consumer Electronics, 2002. ICCE. 2002 Digest of Technical Papers. International Conference on 18-20 June 2002 Page(s):126 - 127 Digital Object Identifier 10.1109/ICCE.2002.1013958 AbstractPlus Full Text: PDF(328 KB) IEEE CNF Rights and Permissions



Help Contact Us Privacy & Security IEEE.org

© Copyright 2006 IEEE – All Rights Reserved



Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Sitemap | Help

Welcome United States Patent and Trademark Office

	Sea	rch	Res	ults
--	-----	-----	-----	------

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((interchip and key)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)" Your search matched 6 of 1625854 documents.

e-mail A printer friendly

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

IEEE Journal or **IEEE JNL** Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference Proceeding

IET CNF

IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(((interchip and key)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)

Search '>

Check to search only within this results set

Display Format:

Citation C Citation & Abstract

view selected items Select All Deselect All

1. Average bit-error-rate performance of band-limited DS/SSMA communications

Joon Ho Cho; Jeong, Y.K.; Lehnert, J.S.;

Communications, IEEE Transactions on

Volume 50, <u>Issue 7</u>, July 2002 Page(s):1150 - 1159 Digital Object Identifier 10.1109/TCOMM.2002.800824

AbstractPlus | References | Full Text: PDF(461 KB) | IEEE JNL

Rights and Permissions

2. A novel and efficient routing architecture for multi-FPGA systems

Khalid, M.A.S.; Rose, J.;

Very Large Scale Integration (VLSI) Systems, IEEE Transactions on

Volume 8, Issue 1, Feb. 2000 Page(s):30 - 39 Digital Object Identifier 10.1109/92.820759

AbstractPlus | References | Full Text: PDF(172 KB) | IEEE JNL

Rights and Permissions

3. Performance evaluation for GMSK DS/SSMA systems based on a closed-form expression for output SNR

Park, S.; Park, S.-C.; Lee, K.;

Electronics Letters

Volume 38, Issue 12, 6 June 2002 Page(s):599 - 600

AbstractPlus | Full Text: PDF(267 KB) | IET JNL

4. The effect of chip waveform on the performance of CDMA systems in multipath, fading, \Box noisy channels

Anjaria, R.; Wyrwas, R.;

Vehicular Technology Conference, 1992 IEEE 42nd

10-13 May 1992 Page(s):672 - 675 vol.2

Digital Object Identifier 10.1109/VETEC.1992.245483

AbstractPlus | Full Text: PDF(312 KB) | IEEE CNF

Rights and Permissions

5. 3D optical interconnects for high-speed interchip and interboard communications

Louri, A.; Hongki Sung;

Computer

Volume 27, Issue 10, Oct. 1994 Page(s):27 - 37

Digital Object Identifier 10.1109/2.318581

AbstractPlus | Full Text: PDF(1192 KB) | IEEE JNL

Rights and Permissions

Thermal design of an advanced multichip module for a RISC processor

Garg, A.; Sham, T.-L.; Greub, H.; Loy, J.; McDonald, J.F.;

Computer Design: VLSI in Computers and Processors, 1994. ICCD '94. Proceedings., IEEE

International Conference on

10-12 Oct. 1994 Page(s):608 - 611

Digital Object Identifier 10.1109/ICCD.1994.331987

AbstractPlus | Full Text: PDF(364 KB) IEEE CNF

Rights and Permissions

Indexed by Inspec*

Help Contact Us Privacy & Security IEEE.org

© Copyright 2006 IEEE – All Rights Reserved